



TROPICAL

CALL US	905.672.8000 (CDN) 855.344.4500 (US)	TropicalForestProducts.com
---------	--	---

Line Card



EXOTIC WOOD




RANDOM WIDTH/RANDOM LENGTH

African Mahogany / Afrosia / Angelim / Anigre / Blood Wood / Bubinga / Caribbean Walnut / Cumaru
Garapa / Ipe / Iroko / Jatoba / Keruing / Lace Wood / Makore / Padauk / Purpleheart / Red Grandis / Santos
Mahogany / Sapele / Sipo / Spanish Cedar / Teak / Tigerwood / Wenge / Yellow Heart / Zebra Wood

SURFACE OPTIONS: Rough-sawn / Skip Dressed / Ripped

DOMESTIC HARDWOODS



RANDOM WIDTH/RANDOM LENGTH

Alder / Basswood / Beech / Birch / Birdseye Maple / Butternut / Cherry / Hard Maple
Hickory / Poplar / Red Oak / Soft Maple / Walnut / White Ash / White Oak

SURFACE OPTIONS: Rough-sawn / Skip Dressed / Ripped


SOFTWOODS



RANDOM WIDTH/RANDOM LENGTH

Aromatic Cedar / Douglas Fir (Flat Cut & Vertical Grain)
Western Red Cedar (Flat Cut & Vertical Grain) / White Pine

SURFACE OPTIONS: Rough-sawn / Skip Dressed / Ripped



DECKING & CLADDING



IPE

FEQ (First Export Quality) Mixed Grain

KILN-DRIED DIMENSIONS AND PROFILES:

S4SE4E: 1" x 4", 1" x 6", 1" x 8", 1" x 12", 5/4" x 4", 5/4" x 6", 5/4" x 8"

Grooved Decking for Hidden Fasteners: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

Shiplap: 5/4" x 4", 5/4" x 6"

Rainscreen: 1" x 4", 1" x 6", 1" x 8"

T&G Center Match: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

AIR-DRIED DIMENSIONS AND PROFILES:

5/4" x 4", 5/4" x 6", 2" x 2", 2" x 4", 2" x 6", 2" x 8", 2" x 10", 2" x 12", 3" x 4", 3" x 6",

3" x 8", 3" x 10", 3" x 12", 4" x 4", 4" x 6", 4" x 8", 4" x 10", 4" x 12", 6" x 6"

BULLETWOOD

FEQ (First Export Quality) Mixed Grain

KILN-DRIED DIMENSIONS AND PROFILES:

S4SE4E: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

Grooved Decking for Hidden Fasteners: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

Shiplap: 5/4" x 4", 5/4" x 6"

Rainscreen: 1" x 4", 1" x 6"

T&G Center Match: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

CUMARU

FEQ (First Export Quality) Mixed Grain

KILN-DRIED DIMENSIONS AND PROFILES:

S4SE4E: 1" x 4", 1" x 6", 5/4" x 4, 5/4" x 6", 2" x 4", 2" x 6"

Grooved Decking for Hidden Fasteners: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

Shiplap: 5/4" x 4", 5/4" x 6"

Rainscreen: 1" x 4", 1" x 6"

T&G Center Match: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"

AIR-DRIED DIMENSIONS AND PROFILES:

2" x 2", 2" x 4", 2" x 6", 2" x 8", 2" x 10", 2" x 12",

3" x 4", 3" x 6", 3" x 8", 3" x 10", 3" x 12", 4" x 4",

4" x 6", 4" x 8", 4" x 10", 4" x 12", 6" x 6"

	GARAPA
	<p>FEQ (First Export Quality) Mixed Grain</p> <p><small>KILN-DRIED DIMENSIONS AND PROFILES:</small> S4SE4E: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6", 2" x 4", 2" x 6" Grooved Decking for Hidden Fasteners: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6" Shiplap: 5/4" x 4", 5/4" x 6" Rainscreen: 1" x 4", 1" x 6" T&G Center Match: 1" x 4", 1" x 6", 5/4" x 4", 5/4" x 6"</p>

	JATOBA
	<p>FEQ (First Export Quality) Mixed Grain</p> <p><small>KILN-DRIED DIMENSIONS AND PROFILES:</small> S4SE4E: 1" x 6", 5/4" x 6" Grooved Decking for Hidden Fasteners: 1" x 6", 5/4" x 6" Rainscreen: 1" x 6"</p>

	TIGERWOOD
	<p>FEQ (First Export Quality) Mixed Grain</p> <p><small>KILN-DRIED DIMENSIONS AND PROFILES:</small> S4SE4E: 1" x 6", 5/4" x 6" Grooved Decking for Hidden Fasteners: 1" x 6", 5/4" x 6" Rainscreen: 1" x 6"</p>

	KEBONY
	<p>Kebony Decking and Accessories</p> <p><small>PROFILE OPTIONS:</small> S4S, E4E, and Grooved for Hidden Fasteners: 5/4" x 6"</p> <p><small>ACCESSORIES:</small> 5/4" x 8", 2" x 2", 2" x 4", 2" x 6", 2" x 8"</p> <p><small>LENGTHS:</small> 6', 8', 10', 12', 14', 16'</p>

	THERMOWOOD
	<p>ThermoWood™ Ash Decking with SEM (Structural End Match Technology)</p> <p><small>PROFILE OPTIONS:</small> S4S, E4E and Grooved for Hidden Fasteners</p> <p><small>ACCESSORIES:</small> 2" x 4", 2" x 6"</p> <p><small>LENGTHS:</small> Random Length: 6' to 15'</p>



COMMERCIAL PRODUCTS



ELEVATE DECK TILE AND PEDESTAL SYSTEM



TILE OPTIONS:
Ipe: 24" x 24", 24" x 48", 24" x 72", 24" x 96" Unfinished
Itauba: 24" x 24", 24" x 48", 24" x 72" Unfinished
Cumaru: 24" x 24", 24" x 48", 24" x 72" Unfinished
Garapa: 24" x 24", 24" x 48", 24" x 72" Unfinished


PEDESTAL OPTIONS:
Star T Star B Combo: 3/8" to 1-1/4"
Screw Jack Self-Leveling: 1-1/4" to 22"



ADJUSTABLE:
Elevate Star Pedestal: 3/8" to 9/16"



PIN OR JOIST HEAD OPTIONS:
Elevate Screw Jack Self Leveling: 1-1/4" to 21-3/4"



PIN OR JOIST HEAD OPTIONS:
Elevate Screw Jack NM Series: 1-1/4" to 21-3/4"

PREFABRICATED DECK AND DOCK PANELS



SPECIES:
Ipe, Cumaru, Garapa
DIMENSIONS:
 2' x 2', 2' x 4', 2' x 6'

PREFABRICATED COMMERCIAL MARINA, DOCK, PIER, BOARDWALK PANELS



AVAILABLE SPECIES:
Ipe

THICKNESS: 2"

STOCK DIMENSIONS: 6' x 3', 6' x 4', 6' x 5', 6' x 6', 6' x 7'

[CUSTOM OPTIONS AVAILABLE]

CUSTOM PERGOLA COMPONENTS



AVAILABLE SPECIES:
Stock Ipe, Special Order Cumaru, Garapa

POSTS: 4" x 4", 6" x 6", 8" x 8"

BEAMS: Up to 4" x 12"

STRINGERS: Up to 2" x 12"

COMMERCIAL DECKING, RAILING, LUMBER TIMBERS, AND CUSTOM MILLING



IPE (STOCK)

S4S E4E [NOMINAL SIZE]
 2" x 4", 2" x 6", 2" x 8", 2" x 10", 2" x 12",
 3" x 6", 3" x 8", 3" x 10", 3" x 12", 4" x 4",
 4" x 6", 4" x 8", 4" x 10", 4" x 12", 6" x 6"

LENGTHS: Up to 20'



GARAPA (STOCK)

STOCK DIMENSIONS:
 Kiln-Dried: 1" x 6", 5/4" x 6", 5/4" x 4", 2" x 4", 2" x 6", 2 x 8" | Air-Dried: 4" x 4"

SPECIAL ORDER:
 Kiln-Dried: 1" x 4" to 2" x 12" | Air-Dried: 3 x 3 to 6" x 12"

LENGTHS: Up to 20' [ROUGH-SAWN FULL OR PROFILED NOMINAL]



CUMARU (STOCK)

STOCK DIMENSIONS:
 Kiln-Dried: 5/4" x 6", 2" x 4", 2" x 6"

SPECIAL ORDER:
 Kiln-Dried: 1" x 4" to 2" x 12" | Air-Dried: 3 x 3 to 6" x 12"

LENGTHS: Up to 20' [ROUGH-SAWN FULL OR PROFILED NOMINAL]



AZOBE (SPECIAL ORDER)

S4S E4E [ROUGH-SAWN FULL OR NOMINAL SIZE]
 Any dimensions required up to 16" x 16".

LENGTHS: Up to 20'


Kebony
 5/4" x 6", 5/4" x 8", 2" x 2", 2" x 4", 2" x 6"

CUSTOM ARCHITECTURAL MILLWORK AND PANELING



AVAILABLE SPECIES:
All Species Tropical and Temperate
 FSC® Certification [AVAILABLE FOR MOST SPECIES]


SUN SHADES



IPE AND KEBONY AVAILABLE WIDTHS:
1" x 6", 5/4" x 6", 5/4" x 8", 2" x 4", 2" x 6", 2" x 8"

IPE-ONLY AVAILABLE WIDTHS:
2" x 10", 2" x 12", 3" x 4", 3" x 6", 3" x 8", 2" x 10",
3" x 12", 4" x 4", 4" x 6", 4" x 8", 4" x 10", 4" x 12"

RAIN SCREEN SYSTEM, SIDING, CLADDING, AND SOFFIT



AVAILABLE SPECIES:
Ipe, Garapa, Red Balau, Cumaru, Tigerwood, Jatoba, Cedar – VG and Mixed Grain, Kebony, ThermoWood, Accoya

AVAILABLE WIDTHS:
1" x 4", 1" x 6"

INTERIOR PANELING AND CEILING SYSTEM



AVAILABLE SPECIES:
All Species Tropical and Temperate
FSC® Certification [AVAILABLE FOR MOST SPECIES]

AVAILABLE WIDTHS:
1" x 4", 1" x 6", 1" x 8"

CLADDING, PANELING, AND SOFFIT




AVAILABLE SPECIES:
All Species Tropical and Temperate
FSC® Certification [AVAILABLE FOR MOST SPECIES]

AVAILABLE WIDTHS:
1" x 4", 1" x 6", 1" x 8"

AVAILABLE PROFILES:
All WRC Style and Custom Profiles

PORCH FLOOR



IPE AND GARAPA AVAILABLE WIDTHS:
1" x 4" and 5/4" x 4" T&G

KEBONY AVAILABLE WIDTHS:
5/4" x 6" T&G

T&G SHIPLAP



Unique T&G Shiplap profile can be used for both covered porches and uncovered decks, transitioning seamlessly from covered to uncovered without changing the look of your deck.

IPE AND GARAPA AVAILABLE PROFILE:
5/4" x 4" T&G

MOLDINGS



AVAILABLE SPECIES:
All Species Tropical and Temperate

MOLDING CAPABILITY:
Up to 6" x 12"

AVAILABLE PROFILES:
Standard and Custom Profiles

TRUCK & TRAILER DECKING



SHIPLAP

Angelim Pedra: 5/4" x 8" to 6/4" x 8"

CROSS TILES



Angelim Pedra: Up to 6" x 10" x 20'

OTHERS



HEAVY TIMBERS / POSTS BEAMS FENDERS SHEET PILING / CRANE MATS

Ipe: Up to 6" x 12" x 20' [INCLUDING 8" x 8" ROUGH OR DRESSED]

Cumaru: Up to 12" x 12" x 20'



TROPICAL

CALL US	905.672.8000 (CDN) 855.344.4500 (US)	TropicalForestProducts.com
---------	--	---

All wood supplied by Tropical Forest Products is either third-party verified “Legal” or FSC® Certified and U.S. Lacey Act Compliant under our LEGAL LUMBER™ “Due Care” Environmental Compliance Program. For additional product information and installation best practices visit: www.TropicalForestProducts.com.